

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Previously Presented) A display drafting apparatus comprising:

means for selecting a device of a controller for use; and

means for setting up display drafting information for said selected device comprising a display component, a display mode and a display function,

wherein the means for selecting are used to select a device before the means for setting up are used to set up the display drafting information.

2. (Currently Amended) The display drafting apparatus according to claim 1, further comprising means for saving only device selection information for the controller, selected ~~and created~~ by said device selecting means, wherein the device selection information can be saved, even if said selected device is a device for which the display drafting information is not set up.

3. (Currently Amended) The display drafting apparatus according to claim 1, additionally having a function of a control program schema generator for said controller therein, further comprising:

means for allowing the device selection information for said controller, selected ~~and created~~ by said device selecting means to be used with said control program schema generator.

4. (Original) The display drafting apparatus according to claim 3, further comprising:
means for appending a comment to the device of said controller selected by said device
selecting means, and
means for sharing the appended comment between said display drafting apparatus and
said control program schema generator.

5. (Currently Amended) The display drafting apparatus according to claim 1, further
comprising:
control program schema generating means for said controller, and
means for allowing the use of the device selection information for said controller,
selected ~~and created~~ by said device selecting means, when a program schema is generated by
said generating means.

6. (Currently Amended) A display drafting system comprising:
a display;
a controller; and
a display drafting apparatus comprising:
means for selecting a device of said controller for use,
means for setting up display drafting information for said selected device;
a control program schema generating means; and

means for allowing the use of the device selection information for said controller,
selected ~~and created~~ by said device selecting means, when a program schema is generated
by said generating means,
wherein the means for selecting of the display drafting apparatus are used to select a
device before the means for setting up of the display drafting apparatus are used to set up the
display drafting information.

7. (Previously Presented) The display drafting system according to claim 6, wherein
when the display drafting system is connected in series in the order of the display drafting
apparatus, the display, and the controller via a communication line, the display drafting system
further comprises means for transferring drafting data among drafting data created by the display
drafting apparatus and control program data to the display and the control program data via the
display to the controller.

8. (Previously Presented) The display drafting system according to claim 6, wherein
when the display drafting system is connected in series in the order of the display drafting
apparatus, the controller and the display via a communication line, the display drafting system
further comprises means for transferring a control program data among a drafting data created by
the display drafting apparatus and the control program data to the controller and the drafting data
via the controller to the display.

9. (Previously Presented) A display drafting method comprising:

selecting a device of a controller for use; and
setting up a display drafting information for said selected device after said device is
selected.

10. (Previously Presented) The display drafting method according to claim 9, wherein
said selecting the device further comprises selecting a device symbol and selecting a device
number.

11. (Previously Presented) The display drafting method according to claim 9, wherein
said setting up the display drafting information further comprises setting up a display component,
display mode and display function.

12. (Previously Presented) The display drafting method according to claim 10, further
comprising changing at least one of said device symbol and said device number after setting up
part of said display drafting information.

13. (Previously Presented) The display drafting method according to claim 9, further
comprising interrupting said setting up the display drafting information to save data of said
display drafting information.

14. (Previously Presented) The display drafting method according to claim 9, further comprising interrupting said selecting device of the controller to save data of a device selection information.

15. (Previously Presented) The display drafting method according to claim 9, wherein said selected device is used in display drafting and in generating a control program for said controller.